

Technical Data

	AER	PB	IP
<i>Boiling Point °C</i>	70	70	68
<i>Specific Gravity, 25 °C</i>	1.33	1.32	1.23
<i>Viscosity, 25 °C, cps</i>	0.49	0.49	0.49
<i>S. Tension dy/cm, 20 °C</i>	24.2	24.2	24.2
<i>Vapor Pressure, 20 °C</i>	110.8	110.8	109
<i>Specific Heat, 25 °C</i>	0.27	0.27	0.27
<i>Latent Heat, cal/gm</i>	58.8	58.8	58.8
<i>Solubility in Water, w%</i>	0.24	0.24	0.24
<i>Flash Point, TCC</i>	None	None	None
<i>Flammability Limits, v%</i>	4-7.8	4-7.8	4-7.8
<i>Kauri Butanol Value</i>	125	125	>150
<i>Life Span in Air</i>	2 weeks	2 weeks	2 weeks
<i>ODP</i>	0.008	0.008	0.008
<i>Surface Wetting Ratio</i>	N/A	N/A	N/A
<i>Surface Evaporation Rate</i>	N/A	N/A	N/A
<i>Applications</i>	Vapor Degreasing and Cold Cleaning		
<i>Packaging</i>	Bulk	Bulk	Bulk